

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
A ALABAMA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
ARIZONA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
ARKANSAS	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
C CALIFORNIA	36,500 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	32,000 lbs without tri-axle 38,000 lbs with tri-axle	39,000 lbs
COLORADO	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
CONNECTICUT	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
D DELAWARE	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
D.C.	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
F FLORIDA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
G GEORGIA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
I IDAHO	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
ILLINOIS	34,000 lbs without tri-axle 44,000 lbs with tri-axle	43,000 lbs	32,000 lbs without tri-axle 38,000 lbs with tri-axle	39,000 lbs
INDIANA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	32,000 lbs without tri-axle 38,000 lbs with tri-axle	39,000 lbs
IOWA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
K KANSAS	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
KENTUCKY	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
L LOUISIANA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
M MAINE	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
MARYLAND	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
MASSACHUSETTS	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
MICHIGAN	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
MINNESOTA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
MISSISSIPPI	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
MISSOURI	38,000 lbs without tri-axle 44,000 lbs with tri-axle	43,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
MONTANA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NEBRASKA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NEVADA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NEW HAMPSHIRE	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NEW JERSEY	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NEW MEXICO	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NEW YORK	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
NORTH CAROLINA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 44,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
NORTH DAKOTA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
O OHIO	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
O OKLAHOMA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
O OREGON	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
P PENNSYLVANIA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
R RHODE ISLAND	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
S SOUTH CAROLINA	38,000 lbs without tri-axle 43,000 lbs with tri-axle (45,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
S SOUTH DAKOTA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
T TENNESSEE	38,000 lbs without tri-axle 42,000 lbs with tri-axle (44,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)

STATE	20 FOOT DV/HC/OT/FR	40 FOOT DV/HC/OT/FR	20 FOOT RF/RH	40 FOOT RF/RH
TEXAS	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
UTAH	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
VERMONT	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
VIRGINIA	38,000 lbs without tri-axle 44,000 lbs with tri-axle (46,000 lbs with permit)	44,000 lbs (51,000 lbs with permit)	34,000 lbs without tri-axle 40,000 lbs with tri-axle (41,000 lbs with permit)	41,000 lbs (43,000 lbs with permit)
WASHINGTON	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
WEST VIRGINIA	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs
WISCONSIN	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	32,000 lbs without tri-axle 38,000 lbs with tri-axle	39,000 lbs
WYOMING	38,000 lbs without tri-axle 44,000 lbs with tri-axle	44,000 lbs	34,000 lbs without tri-axle 40,000 lbs with tri-axle	41,000 lbs